


| Classification of STDs | | | |
|---|----------------|--|--------------------------------------|
| 1) Sexually transmissible infections "STIs" | Bacterial STIs | Syphilis Chancroid Lymphogranuloma venerum Granuloma inguinale Gonorrhoea Non-gonococcal urethritis | |
| | Viral STIs | AIDS Herpes progenitalis Condyloma accuminata Molluscum contagiosum Viral hepatitis B, C and D | |
| | Protozoal STIs | Trichomonas vaginalis | |
| | | Parasitic STIs | Genital scabies Pediculosis pubis |


| | | |
|---|--|------------------------------|
| 2) Sexually-induced allergic and immune reactions | Immune reactions to semen | Immune-infertility |
| | Allergic reactions to semen | Systemic or localized |
| | Allergic reactions to antigens carried by the sex partner | Connubial contact dermatitis |
| 3) Sexually-induced malignancy | Cancer cervix | |
| 4) Sexually-induced trauma | <ul style="list-style-type: none"> • Penile fracture • Defloration injury • Purpura (orogenital sex) • Lacerations (Sado-masochistic manoeuvres) | |



Gonococcal urethritis



Gonoccal urethritis : Gram stained smear



Gonococcal conjunctivitis



Chancroid



Donovanosis




Recurrent genital herpes



Recurrent genital herpes



Recurrent genital herpes



Perianal condyloma accuminata



Genital warts of scrotum being frozen with liquid nitrogen spray



Genital warts of scrotum



Giant condyloma of vulva



Molluscum contagiosum



Oral Candidiasis in HIV patient




Hairy leucoplakia in HIV patient




Kaposi's sarcoma of the palate in AIDS



Pubic Pediculosis




Nongonococcal urethritis



Penile venereal edema in NGU



Acute epididymitis of RT testicle



Reiter's syndrome



Reiter's syndrome :Keratoderma blenorrhagica



Severe Keratoderma blenorrhagica



Vitiligo of penis




LP of underside of penis




Pearly penile papules



Periurethral fruncle due to N.Gonorrhea



Nongonococcal urethritis due to chlamydia trachomatis




Mucopurulent cervicitis due to *Chlamydia trachomatis*




Lymphogranuloma venereum




Color Duplex Doppler Ultrasonography (CDDU)



Color Duplex Doppler Ultrasonography (CDDU)



Color Duplex Doppler Ultrasonography (CDDU)






Color Duplex Doppler Ultrasonography (CDDU)






n





- Response schedule for ICI
- **E0:** No response.
- **E1:** Elongation only.
- **E2:** Partial tumescence.
- **E3:** Full tumescence.
- **E4:** Erection with partial rigidity.
- **E5:** Erection with full rigidity.

- **Psychogenic E.D:** E5 within 5 minutes and lasts one hour.
- **Neurogenic E.D:** E5 within 5 minutes and lasts 2 hours.
- **Venogenic E.D:** E5 within 5 minutes and lasts < 15 minutes.
- **Arterogenic E.D:** Delayed response E0-E4 for 30 minutes.
- **Mixed E.D:** Delayed and weak response.





Inflatable



Malleable

